STATEMENT OF BASIS (AI No. 39676)

for draft Louisiana Pollutant Discharge Elimination System Permit No. LA0112909 to discharge to waters of the State of Louisiana.

THE APPLICANT IS:

Wood Resources, LLC

5821 River Road

Avondale, Louisiana 70094

ISSUING OFFICE:

Louisiana Department of Environmental Quality (LDEQ)

Office of Environmental Services

Post Office Box 4313

Baton Rouge, Louisiana 70821-4313

PREPARED BY:

Yvonne Baker

DATE PREPARED:

October 16, 2006

1. PERMIT STATUS

A. Reason For Permit Action:

Reissuance of a Louisiana Pollutant Discharge Elimination System (LPDES) permit for a 5-year term.

B. NPDES permit - NA

C.LPDES permits -

LA0112909

LPDES permit effective date: April 1, 2002 LPDES permit expiration date: March 31, 2007

LAG490020

LPDES permit effective date: October 6, 2004 LPDES permit expiration date: September 30, 2009

D. Date Application Received: September 22, 2006

2. FACILITY INFORMATION

A. FACILITY TYPE/ACTIVITY – barge cleaning facility

This is an existing barge cleaning facility. The barges are dry cargo covered and open top hopper barges. After unloading at area facilities, the transportation barges are swept then the dust and small amount of particles remaining in the barge is removed by washing with water taken from the Mississippi River by means of 2" to 3" pumps. The washwater is discharged back into the Mississippi River. The barges contain the following commodities:

Grain products, bulk cement, limestone rock, iron and aluminum ore, steam coal, wood chips, Dunnage, barite, bauxite, granular sugar, hematite, urea and ammonium nitrate.

B. FEE RATE

1. Fee Rating Facility Type: minor

2. Complexity Type: II, as per LAC33:IX.1319 Table I and SIC 4463. In Appendix A - Section IV (Relation of 1987 to 1977 Industries) of the Standard Industrial Classification Manual, the SIC code 4491 is equivalent to a previous SIC code of 4463

3. Wastewater Type: II

4. SIC code: 4491

C. LOCATION – the west bank of the Mississippi River, off LA Highway 18 at Live Oak Manor, Jefferson Parish, 29'56' 45", 90' 13' 41"

NOTE: Process wastewater from the sand and gravel pit is covered under LAG490020.

3. OUTFALL INFORMATION

Outfall 001

Discharge Type: dry commodity barge washwater

Treatment: none

Location: at the point of discharge from the barge being washed prior to mixing with other

waters

Flow: intermittent

Discharge Route: to the Mississippi River

Outfall 002

Discharge Type: coal and coke barge washwater

Treatment: none

Location: at the point of discharge from the barge being washed prior to mixing with other

waters

Flow: intermittent

Discharge Route: to the Mississippi River

Outfall 03A

Discharge Type: incoming ballast and void water from customer barges

Treatment: none

Location: at the point of discharge from the incoming ballast water from the customer barge

prior to mixing with other waters

Flow: intermittent

Discharge Route: to the Mississippi River

Outfall 03B

Discharge Type: maintenance ballast water

Treatment: none

Location: at the point of discharge of maintenance ballast water from the work, spar, or

office barge prior to mixing with other waters

Flow: intermittent

Discharge Route: to the Mississippi River

LDEQ-EDMS Document 35521450, Page 39 of 6

Statement of Basis for Wood Resources, LLC LA0112909, AI No. 39676 Page 3

4. RECEIVING WATERS

STREAM - Mississippi River

BASIN AND SEGMENT - Mississippi River Basin, Segment 070301

DESIGNATED USES - a. primary contact recreation

b. secondary contact recreation

c. fish and wildlife propagation

d. drinking water supply

5. PROPOSED EFFLUENT LIMITS

BASIS - See Rationale on page 5.

6. COMPLIANCE HISTORY/COMMENTS

A. Compliance History

1. WQMD:

There are no open, appealed, or pending OEC enforcement actions as

of October 16, 2006.

2. DMR Review: A DMR review of Years 2004, 2005, and 2006 on October 16, 2006

noted no exceedances of permitted limits. All DMRs said "No activity

at this time."

7. 303(d) LISTED WATERBODIES

The discharges from Wood Resources, LLC are to the Mississippi River, Subsegment 070301 of the Mississippi River Basin. Subsegment 070301 is not listed on LDEQ's Final 2004 303(d) List as impaired, and to date no TMDL's have been established. A reopener clause will be established in the permit to allow for the requirement of more stringent effluent limitations and requirements as imposed by any future TMDLs.

8. ENDANGERED SPECIES

The receiving waterbody, Subsegment 070301 of the Mississippi River Basin, has been identified by the U.S. Fish and Wildlife Service (FWS) as habitat for the Pallid Sturgeon and migratory waterfowl, which are listed as an endangered species. LDEQ has not submitted this draft permit to the FWS for review in accordance with a letter dated September 29, 2006 from Watson (FWS) to Brown (LDEQ). As set forth in the Memorandum of Understanding between the LDEQ and the FWS, and based on information provided by the FWS, LDEQ has determined that the issuance of the LPDES permit is not likely to have an adverse effect upon the Pallid Sturgeon and migratory waterfowl. Effluent limitations are established in the permit to ensure protection of aquatic life and maintenance of the receiving water as aquatic habitat. The more stringent of technology and water quality based limits (as applicable) have been applied to ensure maximum protection of the receiving water.

9. HISTORIC SITES

The discharge is from an existing facility location, which does not include an expansion on undisturbed soils. Therefore, there should be no potential effect to sites or properties on or eligible for listing on the National Register of Historic Places, and in accordance with the "Memorandum of Understanding for the Protection of Historic Properties in Louisiana Regarding LPDES Permits" no consultation with the Louisiana State Historic Preservation Officer is required.

10. TENTATIVE DETERMINATION

On the basis of preliminary staff review, the Department of Environmental Quality has made a tentative determination to issue a permit for the discharge described in the application.

11. PUBLIC NOTICES

Upon publication of the public notice, a public comment period shall begin on the date of publication and last for at least 30 days thereafter. During this period, any interested persons may submit written comments on the draft permit and may request a public hearing to clarify issues involved in the permit decision at this Office's address on the first page of the statement of basis. A request for a public hearing shall be in writing and shall state the nature of the issues proposed to be raised in the hearing.

Public notice published in:

Local newspaper of general circulation

Office of Environmental Services Public Notice Mailing List

Rationale for Wood Resources, LLC

1. Outfall 001: dry commodity barge washwater

Based on BPJ and on permits for similar facilities, no effluent limitations are established for washwaters from barges previously containing dry commodities including: Grain products, bulk cement, limestone rock, iron and aluminum ore, wood chips, Dunnage, barite, bauxite, granular sugar, hematite, urea and ammonium nitrate. Best Management Practices (BMPs) for barge operations are listed in Part II.

2. Outfall 002: coal and coke barge washwater

<u>Pollutant</u>	<u>Limitation</u> Mthly Avg:Daily Max (mg/l)	<u>Reference</u>	
Flow-MGD	Report:Report	LAC 33:IX.2701.I.1.b	—
COD	250:400	Similar Discharges; BPJ	
TSS	Report:Report	Similar Discharges; BPJ	
pН	6.0 - 9.0 s.u.	Similar Discharges; BPJ	

BPJ Best Professional Judgment

Treatment: none

Monitoring Frequency: TSS shall be observed once per month and Flow, COD and pH shall be observed once per week at the point of discharge from the barge being washed.

Limits Justification: Limits and Monitoring Frequency are based on current guidance for similar discharges from other facilities.

3. Outfall 03A: incoming ballast and void wastewater from customer barges Outfall 03B: maintenance ballast water*

Pollutant	Limitation Mthly Avg:Daily Max (mg/l)	Reference
Flow	Report:Report	LAC 33:IX.2701.I.1.b
COD	:250	Similar Discharges; BPJ
Oil & Grease	:15	Similar Discharges; BPJ
pH	6.0 - 9.0s.u.	Similar Discharges; BPJ

BPJ Best Professional Judgment

Treatment: none

Monitoring Frequency: Flow, COD, Oil & Grease and pH shall be observed once per week at the point of discharge from the incoming customer barge/vessel.

*The measurement frequency for Outfall 03B for the discharge of maintenance ballast water shall be 1/month whenever sampling is required.

Limits Justification: Limits and Monitoring Frequency are based on current guidance for similar discharges from other facilities.

This facility is not subject to Effluent Limitations Guidelines for Transportation Equipment Cleaning, 40 CFR Part 442, because, in accordance with 40 CFR 442.1.a, "this part applies to discharges resulting from cleaning the interior of tanks used to transport chemical, petroleum or food grade cargos." This facility does not clean tanks. The facility cleans open top hopper barges only.

Storm Water Pollution Prevention Plan (SWP3) Requirement

A SWP3 is included in the permit because in accordance with LAC 33:IX.2511.A.1.b, stormwater discharges that are associated with industrial activity shall be monitored. In accordance with LAC 33:IX.2511.B.14, SIC code SIC code 4491 is considered to be associated with industrial activity.

The SWP3 shall be prepared, implemented, and maintained within six (6) months of the effective date of the final permit. The plan should identify potential sources of storm water pollution and ensure the implementation of practices to prevent and reduce pollutants in storm water discharges associated with industrial activity at the facility (see Part II, Paragraph S of the Draft Permit).

If the permittee maintains other plans that contain duplicative information, those plans could be incorporated by reference into the SWP3. Examples of these type plans include, but are not limited to: Spill Prevention Control and Countermeasure Plan (SPCC), Best Management Plan (BMP), Response Plans, etc.